

Message

From: Whitehurst, David [david.whitehurst@deq.virginia.gov]
Sent: 10/21/2019 2:55:56 PM
To: Atkinson, Cheryl [Atkinson.Cheryl@epa.gov]
Subject: Re: EPA approval package

Thank you Cheryl...greatly appreciated!

On Mon, Oct 21, 2019 at 10:44 AM Atkinson, Cheryl <Atkinson.Cheryl@epa.gov> wrote:

Sorry here is the date stamped version.

Cheryl Atkinson

215 814 3392

From: Atkinson, Cheryl
Sent: Monday, October 21, 2019 10:13 AM
To: 'Whitehurst, David' <david.whitehurst@deq.virginia.gov>
Subject: RE: EPA approval package

Here is our approval letter. Thank you for all your work on this.

Cheryl Atkinson

215 814 3392

From: Whitehurst, David <david.whitehurst@deq.virginia.gov>
Sent: Thursday, August 15, 2019 1:28 PM
To: Atkinson, Cheryl <Atkinson.Cheryl@epa.gov>
Cc: Robertson Tish msf11012 <tish.robertson@deq.virginia.gov>; Kennedy John ika95442 <john.kennedy@deq.virginia.gov>
Subject: Re: EPA approval package

Cheryl...I am happy to report that the approval package for the bacteria, cadmium, and human health amendments is in the mail!!! I've also attached it to this email. As a note: you'll be receiving 3 copies as old habits die hard...and our Water Planning Division Director, Jutta Schneider requested I send to Catherine Libertz, Water Division Director EPA R3.

FYI - Ammonia amendments still at Gov's Office for their final review (Day 113) and the same with James R. chlorophyll amendments (Day 18).

On Thu, Jul 25, 2019 at 1:51 PM Atkinson, Cheryl <Atkinson.Cheryl@epa.gov> wrote:

YEAH!!!

You can just send 2 hard copies one to me and one to the RA. But can you send the copy to me electronically or is it too big?

From: Whitehurst, David <david.whitehurst@deq.virginia.gov>
Sent: Thursday, July 25, 2019 12:34 PM
To: Atkinson, Cheryl <Atkinson.Cheryl@epa.gov>
Subject: EPA approval package

Hi Cheryl...I'm pulling together the package RE: bacteria, cadmium, human health criteria amendments that were adopted and need you to refresh my memory as far as how many copies to send. I send one to Administrator Servidio and 3 copies to you, correct? The 30-day comment period was up yesterday and shortly after we receive 'duly adopted' certification from our AG the package will be mailed. Thanks!

--

David C. Whitehurst, Water Quality Standards Coordinator
Dept. Environmental Quality
1111 East Main Street, Suite 1400
PO Box 1105
Richmond, VA 23218
Phone - 804-698-4121
Fax - 804-698-4032
email - David.Whitehurst@deq.virginia.gov

--

David C. Whitehurst, Water Quality Standards Coordinator
Dept. Environmental Quality
1111 East Main Street, Suite 1400

PO Box 1105
Richmond, VA 23218
Phone - 804-698-4121
Fax - 804-698-4032
email - David.Whitehurst@deq.virginia.gov

--

David C. Whitehurst, Water Quality Standards Coordinator
Dept. Environmental Quality
1111 East Main Street, Suite 1400
PO Box 1105
Richmond, VA 23218
Phone - 804-698-4121
Fax - 804-698-4032
email - David.Whitehurst@deq.virginia.gov